

## Smart Solar Mast

FULLY RENEWABLE WORKING  
WITH ENERGY ENVIRONMENT  
FRIENDLY IS A PRODUCT

With its IP66 protection class cabinet,  
it protects all electronic devices in its  
integrated structure without being  
affected by dust and moisture

It provides uninterrupted operation  
without infrastructure, wiring and  
electricity



### Smart Pro Security

Intelligent Security Imaging  
Systems



### Solar Smart Pro

Smart Edible Lighting Systems

## Smart Solar Direct

### LED Lighting System

Model: ASD-SCG6-100 V1  
Product Group: Smart Solar Lighting Pole Led



#### Lighting

**Lighting Angle:** 360°  
**Total Number of LEDS:** 300  
**Power:** 80 / 100 Watts



#### Battery

**Voltage:** 12V  
**Type:** LifeP04 Batter / Gel  
**Number of Batteries:** 2/4 pcs



#### Size / Weight

6 meters  
80 kg/90 kg



#### Feature

**Pole Base Diameter:** 61 cm  
**Mast Body Diameter:** 47 cm  
**Body Structure:** Galvanized Steel




#### General

**Day/Night Sensor:** Optional  
**Protection Class:** IP65  
**Operating Temperature:**  
-30 C + 50 C



#### Warranty Period:

2 Years



#### LED Panel

With its high efficiency LEDS, it offers more economical and higher lighting compared to standard lighting devices.



#### Solar Panel

Highly efficient vertical panoramic photovoltaic cells, optimized for weak light conditions, provide nature-friendly energy with high energy efficiency.



#### Body

It is specially designed in a hexagonal shape with an aesthetically robust body made of galvanized steel resistant to corrosion and water.



#### Cabin

Battery group, charge control unit etc. All electronic equipment is stored in the cabin.



## Smart Solar Direct

### Imaging System

Model: ASD-SCG6-1200 V1  
Product Group: Intelligent Solar Display Mast



#### Camera

2/3/4/5 (SCG6-1200)



#### Battery

**Voltage:** 12V  
**Type:** LifeP04 Battery  
**Number of Batteries:** 2/4 pcs



#### Size / Weight

6 meters  
150 kg/180 kg



#### Feature

**Pole Base Diameter:** 61 cm  
**Mast Body Diameter:** 47 cm  
**Body Structure:** Galvanized Steel




#### General

**Day/Night Sensor:** Optional  
**Protection Class:** IP65  
**Operating Temperature:**  
-30 C + 50 C



#### Warranty Period:

2 Years



#### Upper Enclosure

Camera, wireless transmitter etc. Electronic devices can be integrated into the upper part, which has a signal-permeable structure.



#### Solar Panel

Panoramic optimized photovoltaic-friendly cells according to weak high-light efficiency conditions provide nature-friendly energy with high energy efficiency.



#### Body

It is specially designed in a hexagonal shape with an aesthetically robust body made of galvanized steel resistant to corrosion and water.




#### Cabin

Battery group, charge control unit etc. All electronic equipment is housed in the cabin being done.



# Smart Pro Security



## Smart Pro Security LARGE

MOQ of Battery: 4 Pcs  
Height : 10 meters  
Weight : 550 kg

## Smart Pro Security MEDIUM

MOQ of Battery: 3 Pcs  
Height : 8 meters  
Weight : 500 kg

## Smart Pro Security SMALL

MOQ of Battery: 2 Pcs  
Height : 6 meters  
Weight : 450 kg